## Polypropylene Compact Bolted Ball Valves

Features:

- pressure rating: 125 PSI at 70°F (21°C)
- · chemically-resistant, reinforced polypropylene body, PTFE ball seat
- EPDM O-ring body seal, FKM O-ring stem seals
- 304 stainless steel nuts and bolts
- FDA approved material

### **Polypropylene Compact Bolted Ball Valve**

Female NPT	Port	Body Length	Polypropylene Part #
2"	full	41/8"	PVFPS200

### **Polypropylene Compact Bolted Ball Valve**



		·	
Female NPT x Male Adapter	I Port	Body Length	Polypropylene Part #
2"	full	67⁄8"	PVFPSA200

### Polypropylene 45° Single Union Nozzle Valves

Features:

- pressure rating: 125 PSI at 70°F (21°C)
- · corrosion resistant polypropylene body, PTFE ball seats
- EPDM O-ring
- FDA approved material

Female NPT x N	ozzle Port	Polypropylene Part #
1"	full	SUBVN100

# Polypropylene Bolted Ball Valves with Nozzle

#### Features:

- pressure rating: 125 PSI at 70°F (21°C)
- · chemically-resistant, reinforced polypropylene body, PTFE ball seat
- · EPDM O-ring body seals, FKM O-ring stem seals
- 304 stainless steel nuts and bolts
- FDA approved material
- body-to-flange design allows for low torque operation

Female NPT x Nozzle	Port	Polypropylene Part #
1½"	full	PVFPN150
2"	full	PVFPN200
2"	standard	PVN200

# Polypropylene Single Union Ball Valves

#### Features:

- pressure rating: 125 PSI at 70°F (21°C)
- · corrosion resistant polypropylene body, PTFE ball seat
- EPDM O-ring
- FDA approved material

i Dri appioved material				
Female NPT	Port	Polypropylene Part #		
1⁄2"	full	SUBV50		
3⁄4"	full	SUBV75		
1"	full	SUBV100		
1¼"	full	SUBV125		
1½"	full	SUBV150		
2"	full	SUBV200		
3"	full	SUBV300		





546